



# Frameless Ladder Grate Spec Sheet




8" HD 304/316L  
part #446262/446263




10" HD 304/316L  
part #446266/446267




12" MD 304/316L  
part #446270/446271




12" SD 304/316L  
part #446272/446273



8" SD 304/316L  
part #446264/446265



10" SD 304/316L  
part #446268/446269



Parts	Part No.	L in (mm)	W1 in (mm)	W2 in (mm)	H in (mm)	Bar in (mm)	Weight lbs	Material	EN1253 Load Class	ASME Load Class
Frameless Ladder Grate 8"	<b>446262</b>	185 (47)	0.79 (20)	6.61 (168)	0.98 (25)	0.20 (5)	2.6	AISI 304	R50	Heavy Duty
	<b>446263</b>	185 (47)	0.79 (20)	6.61 (168)	0.98 (25)	0.20 (5)	2.6	AISI 316L	R50	Heavy Duty
	<b>446264</b>	185 (47)	0.79 (20)	6.61 (168)	0.98 (25)	0.31 (8)	3.9	AISI 304	M125	Special Duty
	<b>446265</b>	185 (47)	0.79 (20)	6.61 (168)	0.98 (25)	0.31 (8)	3.9	AISI 316L	M125	Special Duty
Frameless Ladder Grate 10"	<b>446266</b>	6.22 (158)	0.79 (20)	8.58 (218)	1.18 (30)	0.20 (5)	5.0	AISI 304	R50	Heavy Duty
	<b>446267</b>	6.22 (158)	0.79 (20)	8.58 (218)	1.18 (30)	0.20 (5)	5.0	AISI 316L	R50	Heavy Duty
	<b>446268</b>	2.83 (72)	0.79 (20)	8.58 (218)	1.18 (30)	0.31 (8)	7.6	AISI 304	M125	Special Duty
	<b>446269</b>	2.83 (72)	0.79 (20)	8.58 (218)	1.18 (30)	0.31 (8)	7.6	AISI 316L	M125	Special Duty
Frameless Ladder Grate 12"	<b>446270</b>	8.19 (208)	0.79 (20)	10.55 (268)	1.18 (30)	0.20 (5)	7.5	AISI 304	R50	Medium Duty
	<b>446271</b>	8.19 (208)	0.79 (20)	10.55 (268)	1.18 (30)	0.20 (5)	7.5	AISI 316L	R50	Medium Duty
	<b>446272</b>	4.00 (102)	0.75 (19)	10.55 (268)	1.18 (30)	0.31 (8)	12.6	AISI 304	M125	Special Duty
	<b>446273</b>	4.00 (102)	0.75 (19)	10.55 (268)	1.18 (30)	0.31 (8)	12.6	AISI 316L	M125	Special Duty

# Frameless Ladder Grate Spec Sheet



## Specification Clause

Used with ACO FloorDrain. Made from AISI 304 or AISI 316L. Electropolished finish. Fully drainable, inspectable and cleanable.

Frameless Ladder Grate is designed for superior hygienic performance. Fully welded hygienic joints. Slip-resistant.



**HygieneFirst:** Includes relevant hygienic design principles reserved for food contact surfaces or recommended by NSF/ANSI and EHEDG.




Slip-resistant:  
BPN > 24 based on Pendulum Test

## ACO, Inc.

© January 2026 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.



info@acousa.com  
www.acousa.com

