



# ACO Building Drainage | Stainless


## MOD200 Branch & Corner Unit Channels



### Center Outlet Channels



### End Outlet Channels



Parts	Part No.	Material	H	Weight lbs
	<b>445429</b>	AISI 304	3.15 (80)	8.4
	<b>445430</b>	AISI 304	3.54 (90)	8.6
	<b>445431</b>	AISI 304	3.94 (100)	9.0
	<b>445432</b>	AISI 304	4.33 (110)	9.2
	<b>445433</b>	AISI 304	4.72 (120)	9.5
Center Outlet Channels	<b>445434</b>	AISI 304	5.51 (140)	10.1
	<b>445435</b>	AISI 316L	3.15 (80)	8.4
	<b>445436</b>	AISI 316L	3.54 (90)	8.6
	<b>445437</b>	AISI 316L	3.94 (100)	9.0
	<b>445438</b>	AISI 316L	4.33 (110)	9.2
	<b>445439</b>	AISI 316L	4.72 (120)	9.5
	<b>445440</b>	AISI 316L	5.51 (140)	10.1

Parts	Part No.	Material	H	Weight lbs
	<b>445417</b>	AISI 304	3.15 (80)	8.4
	<b>445418</b>	AISI 304	3.54 (90)	8.6
	<b>445419</b>	AISI 304	3.94 (100)	9.0
	<b>445420</b>	AISI 304	4.33 (110)	9.2
	<b>445421</b>	AISI 304	4.72 (120)	9.5
End Outlet Channels	<b>445422</b>	AISI 304	5.51 (140)	10.1
	<b>445423</b>	AISI 316L	3.15 (80)	8.4
	<b>445424</b>	AISI 316L	3.54 (90)	8.6
	<b>445425</b>	AISI 316L	3.94 (100)	9.0
	<b>445426</b>	AISI 316L	4.33 (110)	9.2
	<b>445427</b>	AISI 316L	4.72 (120)	9.5
	<b>445428</b>	AISI 316L	5.51 (140)	10.1

### Specification Summary

ACO Modular 200 branch and corner unit channels. Overall height varies, see tables. All channels provided with NBR seal and connection bolts on one side. Multiple grate options available.


- Channels made from 16 ga (1.5 mm) AISI 304 or AISI 316L
- Pickle passivated finish
- Slip-resistant

ACO recommends checking local plumbing codes prior to installation.

### ACO, Inc.

© January 2026 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.



info@acousa.com  
www.acousa.com

